

Tell me more about eczema in children

What is eczema?

Eczema is inflammation of the skin, which gives it a red, dry and flaky appearance. The main feature of eczema is itching. This itching causes children to scratch, which can damage the skin even more, which then causes more itching. This can make your child very distressed and can lead to poor sleep. In the UK, the word 'eczema' in children really refers to 'atopic eczema'. This is a particular type of inflammation of the skin, often linked with asthma and hay fever.

What causes atopic eczema?

There is no single cause of eczema. We know that 'genetic' (inherited) factors are important. These genetic factors probably make a child more at risk of developing eczema, asthma, hay fever and food allergy. On top of this there are a number of things in the environment which will trigger off atopic eczema in a susceptible child. These triggers are not always allergies – in fact, irritation from ordinary soaps, wearing wool next to the skin, overheating at night and contact with water and dusty materials are very important. Being unwell, vaccinations, tiredness and stress and infections on the skin can cause flares of eczema. Specific allergies to foods such as eggs, nuts or cow's milk, or airborne allergens including house dust mite, animal dander, grasses and pollens aggravate eczema in some children.

Will my child grow out of eczema?

Eczema in childhood is a condition which tends to come and go. The good news is that in most children, eczema will gradually improve. Around 60-70% of children who have eczema in the first few years of their lives are clear of it by the age of 11, but unfortunately we cannot say which child grow out of it or when, and some children may have an eczema tendency for life, even if it improves with age.

(see next page)

Written by Professor Hywel Williams, Dr Jane Ravenscroft, Nurse Consultant Sandra Lawton, Dr Jothsana Srinivasan, Dr Ting Seng Tang and parents on behalf of the Nottingham Support Group for Carers of Children with Eczema

Website – www.nottinghameczema.org.uk

email – enquiry@nottinghameczema.org.uk

© 2019 All rights reserved. No part of this publication may be reproduced in any form or by any means without prior permission in writing from Paediatric Team, Queen's Medical Centre, Nottingham University Hospitals NHS Trust, Nottingham, NG7 2UH

03MORE0119 updated January 2019

Page 1

Can eczema be cured?

Unfortunately, no. A lot of research is being done at the moment to try and find things that will prevent or 'switch off' eczema, but these are still in their experimental stages. We can do **a lot** however to control and prevent flare-ups of eczema, so your child can lead a normal life.

How can I find out what my child is allergic to?

Many of the ups and downs of eczema are not caused by specific allergies, but are due to irritation from a whole range of things as outlined above. And in many children, the eczema seems to have a life of its own, flaring up for no obvious reason. Two common things that cause allergic reactions are house dust mite and certain foods. House dust mite allergy is extremely common in atopic eczema, but it is very difficult to get rid of this mite completely from our homes. Doing things like keeping the bedroom cool and well aired, regular vacuuming and avoiding carpets and too many upholstered items in the bedroom may be helpful.

Food allergies may be obvious to you if your child's eczema consistently gets worse after eating a certain food type such as hen's egg, especially if your child develops vomiting/diarrhoea and hives. Some food allergies may be more difficult to recognise especially in infants under 1 year. Tests such as skin prick tests and blood tests can be helpful but do not always give us the answers. If you think your child's eczema gets worse after eating a particular food (eg eggs, dairy products, chocolate, fish, nuts, citrus fruit), then you might steer clear of that food completely for 6 weeks and then consider giving that food again to your child to see if it really does make his/her eczema worse. Don't experiment in this way with more severe reactions or suspected nut allergy though - discuss this with your nurse or doctor first. If you are going to put your child on a dairy-free diet, then you should discuss your child's diet with your doctor or dietician to make sure that your child will be having enough calories, protein and calcium.

What about other treatments?

The main treatments for sorting out itchy inflamed skin in atopic eczema are topical corticosteroid creams. These are very effective and are **safe if used properly**. Calcineurin inhibitors such as tacrolimus or pimecrolimus may be used in addition to corticosteroids in certain situations such as persistent eczema on the face. Short courses of anti-histamines, one hour before bedtime, are occasionally helpful in breaking patterns of sleep disturbance due to eczema. Soothing cotton or paste bandages can also be helpful for your child if they are tearing the skin on their arms or legs to bits. Occasionally, other medicines, such as ciclosporin, azathioprine, methotrexate and ultraviolet light treatment are used to treat eczema. These treatments are only used for children with eczema that is very difficult to control and require outpatient monitoring.

(see next page)

Written by Professor Hywel Williams, Dr Jane Ravenscroft, Nurse Consultant Sandra Lawton, Dr Jothsana Srinivasan, Dr Ting Seng Tang and parents on behalf of the Nottingham Support Group for Carers of Children with Eczema

Website – www.nottinghameczema.org.uk

email – enquiry@nottinghameczema.org.uk

© 2019 All rights reserved. No part of this publication may be reproduced in any form or by any means without prior permission in writing from Paediatric Team, Queen's Medical Centre, Nottingham University Hospitals NHS Trust, Nottingham, NG7 2UH

03MORE0119 updated January 2019

Page 2

But aren't steroids bad for you?

You should not confuse taking steroid tablets with topical corticosteroid creams and ointments applied to the skin. Whilst it is true that some of these creams were abused in the 1970s by prescribing strong preparations for delicate sites such as the face, we have yet to see a child who has developed any side effects from topical corticosteroid creams when used as recommended in our clinic. Thinning of the skin can be a problem if the cream is applied continuously for a very long period, but we would never recommend them to be used in this way. They are usually used in a "reactive" way by applying them for several days during a flare to get control, or by using them in a "proactive" way by applying them just on the weekend to keep control. Emollients are always used alongside topical corticosteroids, but not applied at the same time. Poorly controlled eczema gives rise to far more problems for your child's well-being than does the sensible use of short-term topical corticosteroid creams.

What about infections of the skin in eczema?

Secondary infection by an organism called *Staph. aureus* is one of the most common reasons for eczema in the younger child to deteriorate. This can be recognised as the skin becomes very red and oozy. Occasionally, yellow pus spots may appear. Usually, treating the eczema more intensively with corticosteroid creams will improve the infection. If you are using pots or tubs of emollient make sure you use a clean spoon to scoop out the emollient from the pot, as dipping fingers into the pot can be a source of infection. If the infection is very extensive or if your child is unwell, then your doctor might prescribe antibiotics (flucloxacillin unless your child is allergic to penicillin). Herpes (cold sore virus) may also cause infection on top of eczema. See your doctor if your child has been in contact with a cold sore or develops little blisters on top of their eczema.

What things can I do to help my child's eczema?

DO:

- Use enough emollient (medical moisturising cream) to stop your child's skin being dry. Use the emollient especially after having a bath, and before and after swimming as this will keep the skin supple and possibly prevent further eczema.
- Avoid soap and avoid direct contact with shampoo on your skin.. There are a number of alternative wash products available and they come in the form of creams, ointments, bath and shower products.
- Use active treatments when the skin is red and inflamed. These treatments need to be prescribed by a doctor who will instruct you on how to use them. The most common type of active treatments are corticosteroid creams which come in a variety of strengths. Other active treatments include calcineurin inhibitors such as tacrolimus (Protopic®) and pimecrolimus (Elidel®).
- Keep the bedroom cool at night by opening the window in the day.
- Use light cotton sheets or a lightweight synthetic duvet.
- Keep your child's nails trimmed short so they cannot break the skin when scratching.

(see next page)

Written by Professor Hywel Williams, Dr Jane Ravenscroft, Nurse Consultant Sandra Lawton, Dr Jothsana Srinivasan, Dr Ting Seng Tang and parents on behalf of the Nottingham Support Group for Carers of Children with Eczema

Website – www.nottinghameczema.org.uk

email – enquiry@nottinghameczema.org.uk

© 2019 All rights reserved. No part of this publication may be reproduced in any form or by any means without prior permission in writing from Paediatric Team, Queen's Medical Centre, Nottingham University Hospitals NHS Trust, Nottingham, NG7 2UH

03MORE0119 updated January 2019

Page 3

DON'T

- Let your child wear wool or rough clothing next to the skin – cotton or very soft synthetics are usually best.
- Use ordinary soaps.
- Rub the skin dry after bathing. Pat dry the skin instead of rubbing.
- Let your child overheat and sweat – where appropriate use layers of clothing rather than one thick layer.

Further information

Please visit our website on: <http://www.nottinghameczema.org.uk/>

There, you will find lots more useful information that has been produced in an unbiased way designed to help you. For instance:

Skin Moisturisers in Atopic Eczema – information on the treatment for eczema that underpins all others
<http://www.nottinghameczema.org.uk/nsgcce/documents/skin-moisturisers-in-atopic-eczema.pdf>

Atopic eczema and steroid creams - what you should know about this standard eczema treatment
<http://www.nottinghameczema.org.uk/nsgcce/documents/atopic-eczema-and-steroid-creams.pdf>

Atopic eczema and infections <http://www.nottinghameczema.org.uk/nsgcce/documents/infections-and-atopic-eczema-feb13-08infe0213.pdf>

Written by Professor Hywel Williams, Dr Jane Ravenscroft, Nurse Consultant Sandra Lawton, Dr Jothsana Srinivasan, Dr Ting Seng Tang and parents on behalf of the Nottingham Support Group for Carers of Children with Eczema

Website – www.nottinghameczema.org.uk

email – enquiry@nottinghameczema.org.uk

© 2019 All rights reserved. No part of this publication may be reproduced in any form or by any means without prior permission in writing from Paediatric Team, Queen's Medical Centre, Nottingham University Hospitals NHS Trust, Nottingham, NG7 2UH

03MORE0119 updated January 2019

Page 4